

9 November 2013, Riga, Latvia

--English version--

Time allowed: 4 hours and 30 minutes. Questions may be asked during the first 30 minutes. Tools for writing and drawing are the only ones allowed.



9 November 2013, Riga, Latvia

--English version--

Problem 1. Let n be a positive integer. Assume that n numbers are to be chosen from the table

$$0 1 \cdots n-1$$

$$n n+1 \cdots 2n-1$$

$$\vdots \vdots \vdots \ddots \vdots$$

$$(n-1)n (n-1)n+1 \cdots n^2-1$$

with no two of them from the same row or the same column. Find the maximal value of the product of these n numbers.



9 November 2013, Riga, Latvia

--English version--

Problem 2. Let k and n be positive integers and let $x_1, x_2, \ldots, x_k, y_1, y_2, \ldots, y_n$ be distinct integers. A polynomial P with integer coefficients satisfies

$$P(x_1) = P(x_2) = \dots = P(x_k) = 54$$

and

$$P(y_1) = P(y_2) = \ldots = P(y_n) = 2013.$$

Determine the maximal value of kn.



9 November 2013, Riga, Latvia

--English version--

Problem 3. Let \mathbb{R} denote the set of real numbers. Find all functions $f: \mathbb{R} \to \mathbb{R}$ such that

$$f(xf(y)+y)+f(-f(x))=f(yf(x)-y)+y\qquad\text{ for all }x,y\in\mathbb{R}.$$



9 November 2013, Riga, Latvia

--English version--

Problem 4. Prove that the following inequality holds for all positive real numbers x, y, z:

$$\frac{x^3}{y^2+z^2}+\frac{y^3}{z^2+x^2}+\frac{z^3}{x^2+y^2}\geq \frac{x+y+z}{2}.$$



9 November 2013, Riga, Latvia

--English version--

Problem 5. Numbers 0 and 2013 are written at two opposite vertices of a cube. Some real numbers are to be written at the remaining 6 vertices of the cube. On each edge of the cube the difference between the numbers at its endpoints is written. When is the sum of squares of the numbers written on the edges minimal?



9 November 2013, Riga, Latvia

--English version--

Problem 6. Santa Claus has at least n gifts for n children. For $i \in \{1, 2, ..., n\}$, the i-th child considers $x_i > 0$ of these items to be desirable. Assume that

$$\frac{1}{x_1} + \ldots + \frac{1}{x_n} \le 1.$$

Prove that Santa Claus can give each child a gift that this child likes.



9 November 2013, Riga, Latvia

--English version--

Problem 7. A positive integer is written on a blackboard. Players A and B play the following game: in each move one has to choose a divisor m of the number n written on the blackboard for which 1 < m < n and replace n with n - m. Player A makes the first move, players move alternately. The player who can't make a move loses the game. For which starting numbers is there a winning strategy for player B?



9 November 2013, Riga, Latvia

--English version--

Problem 8. There are n rooms in a sauna, each has unlimited capacity. No room may be attended by a female and a male simultaneously. Moreover, males want to share a room only with males that they don't know and females want to share a room only with females that they know. Find the biggest number k such that any k couples can visit the sauna at the same time, given that two males know each other if and only if their wives know each other.



9 November 2013, Riga, Latvia

--English version--

Problem 9. In a country there are 2014 airports, no three of them lying on a line. Two airports are connected by a direct flight if and only if the line passing through them divides the country in two parts, each with 1006 airports in it. Show that there are no two airports such that one can travel from the first to the second, visiting each of the 2014 airports exactly once.



9 November 2013, Riga, Latvia

--English version--

Problem 10. A white equilateral triangle is split into n^2 equal smaller triangles by lines that are parallel to the sides of the triangle. Denote a *line of triangles* to be all triangles that are placed between two adjacent parallel lines that forms the grid. In particular, a triangle in a corner is also considered to be a line of triangles.

We are to paint all triangles black by a sequence of operations of the following kind: choose a line of triangles that contains at least one white triangle and paint this line black (a possible situation with n=6 after four operations is shown in Figure ??; arrows show possible next operations in this situation). Find the smallest and largest possible number of operations.




Figure 1



9 November 2013, Riga, Latvia

--English version--

Problem 11. In an acute triangle ABC with AC > AB, let D be the projection of A on BC, and let E and F be the projections of D on AB and AC, respectively. Let G be the intersection point of the lines AD and EF. Let H be the second intersection point of the line AD and the circumcircle of triangle ABC. Prove that

 $AG \cdot AH = AD^2$.



9 November 2013, Riga, Latvia

--English version--

Problem 12. A trapezoid ABCD with bases AB and CD is such that the circumcircle of the triangle BCD intersects the line AD in a point E, distinct from A and D. Prove that the circumcircle of the triangle ABE is tangent to the line BC.



9 November 2013, Riga, Latvia

--English version--

Problem 13. All faces of a tetrahedron are right-angled triangles. It is known that three of its edges have the same length s. Find the volume of the tetrahedron.



9 November 2013, Riga, Latvia

--English version--

Problem 14. Circles α and β of the same radius intersect in two points, one of which is P. Denote by A and B, respectively, the points diametrically opposite to P on each of α and β . A third circle of the same radius passes through P and intersects α and β in the points X and Y, respectively. Show that the line XY is parallel to the line AB.



9 November 2013, Riga, Latvia

--English version--

Problem 15. Four circles in a plane have a common center. Their radii form a strictly increasing arithmetic progression. Prove that there is no square with each vertex lying on a different circle.



9 November 2013, Riga, Latvia

--English version--

Problem 16. We call a positive integer n delightful if there exists an integer k, 1 < k < n, such that

$$1+2+\cdots+(k-1)=(k+1)+(k+2)+\cdots+n.$$

Does there exist a delightful number N satisfying the inequalities

$$2013^{2013} < \frac{N}{2013^{2013}} < 2013^{2013} + 4 ?$$



9 November 2013, Riga, Latvia

--English version--

Problem 17. Let c and n > c be positive integers. Mary's teacher writes n positive integers on a blackboard. Is it true that for all n and c Mary can always label the numbers written by the teacher by a_1, \ldots, a_n in such an order that the cyclic product $(a_1 - a_2) \cdot (a_2 - a_3) \cdot \ldots \cdot (a_{n-1} - a_n) \cdot (a_n - a_1)$ would be congruent to either 0 or c modulo n?



9 November 2013, Riga, Latvia

--English version--

Problem 18. Find all pairs (x, y) of integers such that $y^3 - 1 = x^4 + x^2$.



9 November 2013, Riga, Latvia

--English version--

Problem 19. Let a_0 be a positive integer and $a_n = 5a_{n-1} + 4$, for all $n \ge 1$. Can a_0 be chosen so that a_{54} is a multiple of 2013?



9 November 2013, Riga, Latvia

--English version--

Problem 20. Find all polynomials f with non-negative integer coefficients such that for all primes p and positive integers n there exist a prime q and a positive integer m such that $f(p^n) = q^m$.